

L Number	Hits	Search Text	DB	Time stamp
13	20	604/504.ccls.	USPAT; US-PGPUB	2004/09/12 14:10
-	463	700/282.ccls.	USPAT; US-PGPUB	2003/12/22 12:51
-	820	604/890.1,892.1.ccls.	USPAT; US-PGPUB	2003/12/22 12:52
-	1282	700/282.ccls. or 604/890.1,892.1.ccls.	USPAT; US-PGPUB	2004/09/12 11:14
-	304	pump same bolus same control	USPAT; US-PGPUB	2003/12/23 16:20
-	0	pump same bolus same control same change adj2 (percent or new)	USPAT; US-PGPUB	2004/09/12 12:21
-	4	pump same bolus same control same change same (percent or new)	USPAT; US-PGPUB	2003/12/23 16:22
-	0	pump same bolus same control same change near2 temporary	USPAT; US-PGPUB	2003/12/23 16:22
-	0	pump same bolus same control same (set or change) near2 temporary	USPAT; US-PGPUB	2003/12/23 16:23
-	23	pump same bolus same control and (set or change) near2 temporary	USPAT; US-PGPUB	2003/12/23 16:45
-	0	pump same bolus same control and set adj2 "new delivery rate"	USPAT; US-PGPUB	2003/12/23 16:46
-	4	pump same bolus same control and set and "new delivery rate"	USPAT; US-PGPUB	2003/12/24 09:54
-	6	pump same bolus same control and percent near2 change	USPAT; US-PGPUB	2003/12/24 09:55
-	9	pump same bolus same control and percent\$3 near2 change	USPAT; US-PGPUB	2003/12/24 09:58
-	5	pump same bolus same control and percent\$3 near2 temporary	USPAT; US-PGPUB	2003/12/24 10:01
-	5	pump same bolus same control same percent\$3	USPAT; US-PGPUB	2003/12/24 10:02
-	231	pump same bolus and control same percent\$3	USPAT; US-PGPUB	2003/12/24 10:02
-	18	pump same bolus and control same percent\$3 near2 (change or correction)	USPAT; US-PGPUB	2003/12/24 10:03
-	1	pump same bolus and control same percent\$3 near2 temporary	USPAT; US-PGPUB	2003/12/24 10:04
-	0	enter near2 percent near2 change near2 rate and pump	USPAT; US-PGPUB	2003/12/24 10:05
-	0	enter near2 percent\$3 near2 change near2 rate and pump	USPAT; US-PGPUB	2003/12/24 10:05
-	0	enter near2 percent\$3 near2 change and pump	USPAT; US-PGPUB	2003/12/24 10:18
-	182	pump same control same change same percent	USPAT; US-PGPUB	2003/12/24 10:19
-	40	pump same control same change same percent same (enter or input)	USPAT; US-PGPUB	2003/12/24 10:33
-	274	pump same control and change same percent same (enter or input)	USPAT; US-PGPUB	2003/12/24 10:34
-	7	pump same control and change near2 percent\$3 near2 (enter or input)	USPAT; US-PGPUB	2003/12/24 10:34
-	127	(700/282.ccls. or 604/890.1,892.1.ccls.) and @pd >= "20031221"	USPAT; US-PGPUB	2004/09/12 11:42
-	13	bolus same percentage same deliver	USPAT; US-PGPUB	2004/09/12 11:43
-	2	pump same bolus same control same percent	USPAT; US-PGPUB	2004/09/12 12:22
-	16	pump same bolus same deliver\$3 same percent\$3	USPAT; US-PGPUB	2004/09/12 12:45
-	19	pump same control and bolus with percent\$3	USPAT; US-PGPUB	2004/09/12 13:01
-	6	temporary with deliver\$3 with rate same percent and basal	USPAT; US-PGPUB	2004/09/12 13:05
-	11	temporary with deliver\$3 with rate and percent and basal	USPAT; US-PGPUB	2004/09/12 13:06